

	Application No.	Applicant(s)	
Notice of Allowability	10/088,200	LISEC ET AL.	
	Examiner	Art Unit	
	Rodney T. Frank	2856	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313  1.  \[ \begin{align*} \text{This communication is responsive to the Amendment filled} \end{align*} 2.  \[ \begin{align*} \text{The allowed claim(s) is/are 1-3 and 5-20.} \end{align*} 3.  \[ \begin{align*} \text{The drawings filed on 22 July 2002} \text{ are accepted by the Exitation is made of a claim for foreign priority unally align*} \end{align*} 4.  \[ \begin{align*} \text{Acknowledgment is made of a claim for foreign priority unally align*} \end{align*} \text{Dome* c) \[ \begin{align*} \text{None of the:} \\  1.  \[ \begin{align*} \text{Certified copies of the priority documents have align*} \end{align*} \text{2. } \[ \begin{align*} \text{Certified copies of the priority documents have align*} \end{align*} \text{3. } \[ \begin{align*} \text{Copies of the certified copies of the priority documents have align*} \end{align*}	ears on the cover sh et with the coordinate (OR REMAINS) CLOSED in this application is subject to the communication of the communication is subject to the com	correspondence address oplication. If not included in will be mailed in due co o withdrawal from issue	d ourse. <b>THIS</b> at the initiative
* Certified copies not received:  * Certified copies not received:  5. Acknowledgment is made of a claim for domestic priority use reference was included in the first sentence of the specific (a) The translation of the foreign language provisional at a claim for domestic priority use in the first sentence of the specification or in an Application Applicant has THREE MONTHS FROM THE "MAILING DATE" of the specification of the specifica	ation or in an Application Data Shee application has been received.  Inder 35 U.S.C. §§ 120 and/or 121 solution Data Sheet. 37 CFR 1.78.  If this communication to file a reply c	t. 37 CFR 1.78. ince a specific reference omplying with the requir	e was included ements noted
below. Failure to timely comply will result in ABANDONMENT of 7.   A SUBSTITUTE OATH OR DECLARATION must be subm	this application. THIS THREE-MO nitted. Note the attached EXAMINER	NTH PERIOD IS NOT E R'S AMENDMENT or NO	XTENDABLE.
INFORMAL PATENT APPLICATION (PTO-152) which give 8.  CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No  (b) including changes required by the proposed drawing (c) including changes required by the attached Examiner's	st be submitted. son's Patent Drawing Review ( PTO correction filed, which has be	-948) attached een approved by the Exa	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in (			eack) of
9. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT FOR 1			ote the
Attachment(s)			
1☐ Notice of References Cited (PTO-892)	5☐ Notice of Informal Pa	atent Application (PTO-1	52)
<ul> <li>2 Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3 Information Disclosure Statements (PTO-1449 or PTO/SB/08)</li> </ul>	6☐ Interview Summary ( 8), 7☐ Examiner's Amendm		<u> </u>
Paper No 4 Examiner's Comment Regarding Requirement for Deposit of Biological Material	8⊠ Examiner's Statemen 9□ Other HEZRON WILLIAN SUPERVISORY PATENT E TECHNOLOGY CENTER	. WULL	ance

Application/Control Number: 10/088,200

Art Unit: 2856

**DETAILED ACTION** 

Page 2

Allowable Subject Matter

1. Claims 1-3 and 5-20 are allowed.

2. The following is an examiner's statement of reasons for allowance: A sensor element for electrically

measuring the position of liquid levels, comprising:

a substrate, and a plurality of electrodes adapted to be contacted individually and mounted on the substrate,

wherein the electrodes comprise sensor-active partial electrodes that are networked with electrically

connections, in combination with all other limitations of the independent claims are not disclosed nor

deemed obvious in view of the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of

the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions

should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should

be directed to Rodney T. Frank whose telephone number is (703) 306-5717. The examiner can normally

be reached on M-F 9am -5:30p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hezron

E. Williams can be reached on (703) 305-4705. The fax phone number for the organization where this

application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be

directed to the receptionist whose telephone number is (703) 308-0956.

**RTF** 

January 12, 2004

HEZRON WILLIAMS

SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2800